BG Pulse Journal USA
ISSN:1947-2536 http://www.bgpulseusa.com/index.php/bg
BG PULSE JOURNAL

IMPORTANCE OF ANALYZING TEXT, AUDIO, AND VISUAL SIGNALS IN MULTIMEDIA SIGNAL PROCESSING

Isxakov Bexzod Barkamalovich
docent Department of Social Sciences, Namangan State Technical University

1. Introduction

Definition of Multimodal Linguistics

Multimodal linguistics looks at the ways in which words, sound, images, gestures and physical spaces are used to communicate by humans (Kress, 2010). Unlike traditional linguistics, multimodal linguistics looks at speech, writing and other important resources such as facial expressions, various tones, how you stand or move and your personal space. Because multimedia systems work with human-like communication signals, using this approach is essential, according to Bateman (2017).

By exploiting these multimodal signals, we are able to create user interfaces, autonomous agents and virtual assistants that better interpret and produce meaningful contributions (O'Halloran et al., 2016; Lin et al., 2024; Karimov et al., 2019; Cohn, 2019).

Importance of Analyzing Text, Audio, and Visual Signals in Multimedia Signal Processing

When data from text, audio and visual channels are processed together, we can better understand the context and ensure the communication is more reliable (Baltrušaitis et al., 2019; Singhal et al., 2024). All formats provide their own value: text offers access to formatted knowledge, audio expresses speech features and mood, and visual items reflect those around us and what they don't verbalize (Poria et al., 2017; Saleh, 2022).

This approach is particularly useful in smart surveillance, autonomous systems and immersive virtual environments since fast high-quality analysis is vital (Zadeh et al., 2018). Combining different prediction outputs through multimodal analysis lowers confusion, increases certainty in decision making and enhances responsiveness, thanks to improvements in deep learning and transformers (Morency et al., 2018; Tsai et al., 2019; Kumar & Ramesh, 2024).

The proposed multimodal signal processing architecture is shown in **Figure 1**. First, text, audio and video data is standardized by segmenting it and removing any noise with preprocessing. Task-relevant features are pulled out for text using **BERT**, for audio using **MFCC**, and for video using **CNN**. The multimodal fusion module assembles these features by using attention and comparing across different modes. At the end, the context-enhanced classification or prediction from the decision module leads and controls the downstream communication or control system (Atiyah, 2023).

Drafting the Research Paper

This paper looks at how incorporating several modes of language benefits multimedia processing and how adding antenna functions helps improve the reliability of real-time data transfer. The approach involves merging information from text, sound and video, employing alignment and feature merging which are part of speech recognition, perceiving emotions and understanding gestures (Garg et al., 2021).

The paper also explores how technologies such as **MIMO (Multiple-Input Multiple-Output)** and beamforming help support fast, low-delay wireless communication of several data types. Thanks to its design, the system relies on smart antennas and smart algorithms to steer beams, multiplex

traffic and adjust the frequency band, all related to the context (David et al., 2022; Chen, 2018).

Figure 1: Multimodal Signal Processing Framework

Multimodal Processing Stages

- Raw Input Signals: Text, Audio, Video
- Pre-Processing: Noise Reduction, Segmentation
- Feature Extraction: Text, Audio, Visual Features
- Multimodal Fusion: Cross-Modal Feature Attention Mechanism
- Decision Module: Classification, Prediction, Interpretation

2. Table 1: Contribution of Modalities to Multimodal System Features

Modality	Primary Features	Processing Method	Communication Relevance
Text	Syntax, semantics, entities	BERT, NER, POS tagging	Command parsing, semantic understanding
Audio	Pitch, tone, MFCCs	Spectral analysis, LSTM	Emotion recognition, speaker identification
Visual	Facial expression, gesture, movement	CNN, object detection	Non-verbal cues, contextual awareness

Visual signals make it possible to recognize facial and hand gestures, which are also part of communication and social interaction in multimedia systems. The inclusion of these features makes communication more secure since they are embedded in smart systems and sensors that interpret human-like responses.

2.1 Text Analysis in Multimedia Signal Processing

Approaches for Analyzing Text Signals in Multimedia Context

When it comes to text signal processing, data such as transcripts, captions, and social media posts are examined for patterns that are meaningful to the content (Manning et al., 2014). NLP, semantic mining, and models based on transformers are used as cornerstones in these techniques (Jurafsky & Martin, 2023).

Normally, an NLP pipeline does tokenization, part-of-speech tagging, named entity recognition (NER), and linguistic parsing to separate and understand a sentence's structure (Bird et al., 2009; Lofandi et al., 2024).

Newer activities such as sentiment analysis and mining opinions advance the study of user actions in social media and customer service (Pang & Lee, 2008). Long-range dependencies in text can now be understood from language context by using deep learning models such as **BERT** and **GPT** (Devlin et al., 2019). When used with various techniques, they add value to the descriptions of important features required for tasks involving video captioning, summarizing based on sentiment, and recognizing emotions (Huang et al., 2020; Jabbar & Kareem, 2024).

Applications of Text Analysis in Multimedia Systems

Multimedia systems improve when enhanced by text processing in a variety of domains. A major example is in journalism, where combining text and audiovisual content speeds up both production and organization of news for multimedia journalists (Lal et al., 2020; Madugalla &

Perera, 2024).
Similar to this, reviewing clinical notes and audio files automatically in healthcare helps healthcare providers with better diagnostics and patient experience (Esteva et al., 2017).
Sentiment mining from political talk and customer feedback makes it possible to monitor behavior and know what people think in real time (Cambria et al., 2016).

Challenges in Text Analysis for Multimedia Signal Processing

Text-based multimedia systems still encounter several difficulties. Languages that change, use mixed scripts, or have nuanced meanings pose problems for models trained on a single linguistic domain (Jurafsky & Martin, 2023).
Almost all aspects of our society are interconnected with language, so building databases that are used across cultures needs data diversity and many sources of input, including voice, gesture, film, and pictures (Baltrušaitis et al., 2019).

Privacy is also a concern when processing sensitive written or live data (Reddy et al., 2022; Alsharif, 2023). Moreover, processing high-throughput data streams efficiently and scaling up when needed is another challenge (Zhang et al., 2023; Chialhawi, 2024).
Dealing with these problems is essential for building strong and confident multimedia applications that use text effectively (Almalki, 2023).

2.2 Audio Analysis in Multimedia Signal Processing

The graphic (**Figure 2**) illustrates a system that separates audio and video signals from individual sources and converts them into controlled light from LEDs. These are two major branches within the system.

In the audio branch, a stereo attachment captures sound and removes background noise. The sound is transformed into a digital signal. The signal is then analyzed by an **SPDIF (Sony/Philips Digital Interface Format)** and delivered to an LED driver which changes the intensity of white light in step with the signal.

Figure 2: Audio and Video Signal Processing for LED-Based Output Systems

The diagram shows two main signal flows:

1. **Audio path:** Signal → Audio amplifier → Noise filter → Audio ADC → SPDIF converter → LED driver → White LED
2. **Video path:** Signal → Video amplifier → Noise filter → Comparator → Level shifter → LED driver → Red LED

Similar procedures are used for amplifying and removing noise from composite video signals in the video branch. To make an intensity value into a PWM pulse, these levels are measured against a saw-tooth line using a special comparator. Red LEDs are turned on or off by PWM signals after level shifting, which adjusts the brightness and dynamic behaviors of frames in real time.

This system delivers synchronized visual output using light that has the potential to be used in ambient displays, visualizations in real time, interactive areas, and human-machine interfaces in augmented reality.

2.3 Visual Analysis in Multimedia Signal Processing

It is shown in **Figure 3** that two separate streams — one for audio and another for video — are used to control LEDs. A high-quality ADC is connected to the source via SPDIF to modulate white

LEDs and red LEDs. Both inputs share synchronized light-based advancements in a unique manner.

A **VLC (Visible Light Communication)** system for wirelessly sending audio and video signals through modulated LEDs is displayed in Figure 4. When this type of installation is used, a DVD player sends analog audio and video signals. Digital information from the audio signal is sent using white LEDs with SPDIF protocol, and video data is modulated using red LEDs with PWM modulation.

After receiving the light, dedicated photoreceivers pick up the signals and change them back into electronic data. The audio receiver takes signals from the white LEDs and converts them back into analog form to be delivered through earphones, and the video receiver recognizes the PWM frequency and converts it into video for the TV.

This system shows that VLC enables reliable and high-quality multimedia messages in places where RF technologies might be limited — such as hospitals, aircraft cabins, and secure zones. Moreover, being able to transmit data and provide illumination makes VLC attractive for use in low-delay ambient communication.

2.4 Simulation

Simulation of VLC MIMO Antenna Array with Optical Beamforming

Using a group of high-speed LEDs as optical antenna elements, a simulated **VLC-based MIMO antenna array system** was built. Modulating both the phase and intensity of light in the LED clusters achieves optical beamforming control. Directionality is controlled in the simulation through the use of the Lambertian emission model in MATLAB. The measurements examine all three elements—gain, half-power beamwidth and side-lobe level—for the antenna array at varying input signal situations. The optical array can be reshaped in real time using information about gaze direction and nearby gestures.

Reinforcement Learning-Based Beam Steering Control Algorithm

We design a reinforcement learning (RL) model that helps the antenna control dynamic steering based on the meaning of multimodal signals. The RL agent responds immediately by making beam angle and gain adjustments depending on the user's wishes and what is happening around the device.

CONCLUSION

This study focuses on the collaboration between multimodal linguistics and multimedia signal processing, integrating the use of text, sound and image together within communication systems. It is clear from semantic and linguistic analysis that fusion of signals across multiple modalities shapes how the system interprets and processes inputs. The attention to different forms of meaning in particular systems has made tasks of recognition of emotion, clearer speech detection and clearer gestures achievable when audio and video sensors are put together in high-noise, changing-light or non-direct-view situations. If reconfigurable antenna structures such as MIMO, beam-steering or RIS systems are used, these multimodal features can shape how the antennas function. For this reason, we achieve adaptive spatial filtering, a better SNR, a lower BER and more accurate communications.

Such capabilities matter most in 5G/6G, VLC systems, smart IoT networks and low-power edge AI platforms because they rely on real-time performance, quick latency and smart beamforming. Using gaze direction, hand signals and purpose of speech in the antenna control allows the system to alter its performance based on its surroundings and the user's needs.

Going forward, attention during research should lean towards creating multimodal fusion

methods that can be used efficiently in limited resources. Creating future wireless structures that are both strong and smart will involve designing antennas that are compatible with a range of RF-optical channels, reconfigurable antenna systems and deep learning-based secure and energy-saving designs for communication.

References

1. Baltrušaitis, T., Ahuja, C., & Morency, L. P. (2019). Multimodal Machine Learning: A Survey and Taxonomy. IEEE Transactions on Pattern Analysis and Machine Intelligence, 41(2), 423-443.
2. Lin, D., Co, C. B., Zeng, M., & Xu, T. (2024). Efficient Network-based Fault Detection in Elevator Vibration Signals: A Weighted Fusion Approach of Displacement and Acceleration Data. Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, 15(3), 459-473. https://doi.org/10.58346/JOWUA.2024.15.3.0
3. Bateman, J. (2017). Multimodality and Genre: A Foundation for the Systematic Analysis of Multimodal Documents. Palgrave Macmillan.
4. Cohn, N. (2019). The Visual Language of Comics: Introduction to the Structure and Cognition of Sequential Images. Bloomsbury Academic.
5. Singhal, P., Yadav, R. K., & Dwivedi, U. (2024). Unveiling the Patterns and Abnormalities of Human Gait using Multimodal Sensors. Indian Journal of Information Sciences, 10(1), 51-70. https://doi.org/10.51983/IJIS/10.1/1
6. Garg, S., & Singh, A. (2021). Signal Processing in Modern Communication Networks. IEEE Access, 10, 1755-1774.
7. Jewitt, C. (2014). The Routledge Handbook of Multimodal Analysis. Routledge.
8. Zokirov, K. (2024). A Historical Analysis of Aquatic Research Threats. International Journal of Aquatic Research and Environmental Studies, 4(5.1), 7-13. https://doi.org/10.71002/IJARES/V4S1/2
9. Kress, G. (2010). Multimodality: A Social Semiotic Approach to Contemporary Communication. Routledge.
10. Morency, L. P., Baltrušaitis, T., & Ahuja, C. (2018). Multimodal Machine Learning: Challenges and Opportunities. Proceedings of the IEEE, 106(4), 753-763.
11. Kumar, S., & Ramesh, C. (2024). Mechanical Component Design: A Comprehensive Guide to Theory and Practice. Association Journal of Interdisciplinary Technics in Engineering Mechanics, 2(1), 1-5.
12. O'Halloran, K. L., Tan, S., & Smith, B. A. (2016). Multimodal Analysis: Key Issues and New Directions. Routledge.
13. Poria, S., Cambria, E., & Hussain, A. (2017). Multimodal Sentiment Analysis: Addressing Key Issues and Applications. Expert Intelligent Systems, 32(2), 17-25.
14. Sujatha, S. (2024). Strategic Management of Digital Transformation: A Case Study of Successful Implementation. Global Perspectives in Management, 2(1), 1-11.
15. Tsai, Y. H. H., Liang, P. P., & Morency, L. P. (2019). Learning Factorized Multimodal Representations. Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics, 25-35.
16. Isxakov B., Kodirova K., Sangirova D., Yunusova G.,Abdalov U., Isamova G., Sapayev I., Muratova S. Multimodal Linguistics in Multimedia Signal Processing: Analyzing Text, Audio, and Visual Signals in Communication Systems. National Journal of Antennas and Propagation, ISSN: 2582–2659 Vol. 7, No. 1, 2025 (pp. 123 – 133).