BG Pulse Journal USA
ISSN:1947-2536 http://www.bgpulseusa.com/index.php/bg
BG PULSE JOURNAL

OCULOSYMPATHETIC PATHWAY DISRUPTION: A CLINICAL AND ANATOMICAL PERSPECTIVE ON HORNER SYNDROME

Karomov Suhrob Mirmukhsin o'g'li

Asia International University, Bukhara, Uzbekistan

Abstract

Horner Syndrome is a well-recognized neuro-ophthalmological condition resulting from the disruption of the oculosympathetic pathway. Characterized by a classic triad of ptosis, miosis, and anhidrosis, its identification holds significant diagnostic value, often pointing to serious underlying pathology. This article reviews the anatomy, etiology, clinical features, diagnostic approach, and management of Horner Syndrome.

Keywords: Horner Syndrome, oculosympathetic pathway, ptosis, miosis, Pancoast tumor, carotid dissection, apraclonidine test

Introduction

Horner Syndrome, first described by the Swiss ophthalmologist Johann Friedrich Horner in 1869, represents a constellation of ocular and facial findings caused by the interruption of sympathetic innervation to the eye and face. Although the syndrome itself is not life-threatening, its underlying causes can range from benign conditions to life-threatening emergencies such as internal carotid artery dissection or apical lung malignancy (Pancoast tumor). Therefore, prompt recognition and thorough investigation are paramount in clinical practice.

Anatomy of the Oculosympathetic Pathway

Understanding Horner Syndrome requires a solid grasp of the three-neuron sympathetic arc that supplies the eye and face:

- **First-order (central) neurons:** Originate in the hypothalamus and descend through the brainstem and cervical spinal cord to the ciliospinal center of Budge (C8-T2).
- **Second-order (preganglionic) neurons:** Exit the spinal cord, loop over the apex of the lung, travel along the subclavian and carotid arteries, and synapse in the superior cervical ganglion.
- **Third-order (postganglionic) neurons:** Travel along the internal carotid artery into the cavernous sinus, ultimately innervating the dilator pupillae muscle, the superior and inferior tarsal muscles (Muller's muscle), and the sweat glands of the face.

Interruption at any point along this pathway results in the characteristic findings of Horner Syndrome.

Clinical Features

The classic triad of Horner Syndrome includes:

1. **Ptosis** - A partial drooping of the upper eyelid due to paralysis of Muller's muscle, typically 1-2 mm (distinguishable from the complete ptosis seen in CN III palsy).
2. **Miosis** - Constriction of the pupil resulting from unopposed parasympathetic tone on the sphincter pupillae.
3. **Anhidrosis** - Reduced or absent sweating on the ipsilateral face, depending on the level of the lesion (more prominent in second-order neuron lesions).

Additional findings may include:

- **Enophthalmos** - An apparent recession of the eyeball due to relaxation of the orbital smooth muscle.
- **Lower lid elevation (reverse ptosis)** - Due to paralysis of the inferior tarsal muscle.
- **Heterochromia iridis** - Seen in congenital Horner Syndrome, where the affected iris remains lighter in color.

Etiology and Localization

The etiology of Horner Syndrome is closely linked to the anatomical level of the lesion:

First-order neuron lesions

- Lateral medullary (Wallenberg) syndrome
- Multiple sclerosis
- Brainstem or cervical cord tumors
- Syringomyelia

Second-order neuron lesions

- Pancoast tumor (superior sulcus lung carcinoma)
- Cervical rib or trauma
- Thyroid or neck surgery
- Thoracic aortic aneurysm

Third-order neuron lesions

- Internal carotid artery dissection (a neurological emergency)
- Cavernous sinus thrombosis or tumor
- Cluster headache (in which Horner Syndrome may be transient)
- Otitis media in children

Diagnosis

The diagnosis is primarily clinical. Pharmacological testing is used to confirm and localize the lesion:

- **Cocaine (4-10%) eye drops:** Block norepinephrine reuptake; failure of pupil dilation confirms sympathetic denervation at any level.

• **Apraclonidine (0.5-1%):** Now more widely used; in Horner Syndrome, the denervated pupil dilates paradoxically due to supersensitivity (reversal of anisocoria).
• **Hydroxyamphetamine (1%):** Helps differentiate second- from third-order lesions; the pupil fails to dilate if the postganglionic neuron is damaged.

Neuroimaging is essential. MRI of the brain and spinal cord, CT of the chest (to exclude Pancoast tumor), and CT angiography or MR angiography of the neck vessels (to detect carotid dissection) are the cornerstones of the workup.

Management

There is no specific treatment for Horner Syndrome itself. Management is directed entirely at the underlying cause. Carotid artery dissection may require anticoagulation or antiplatelet therapy. Pancoast tumors are managed with a combination of surgery, radiotherapy, and chemotherapy. Prompt etiological diagnosis is therefore critical to guide therapy and improve prognosis.

Conclusion

Horner Syndrome is a clinically significant finding that demands systematic investigation. Its deceptively subtle ocular signs - ptosis, miosis, and anhidrosis - belie the potentially serious pathology that may lie beneath. A sound understanding of the oculosympathetic anatomy, combined with targeted pharmacological testing and neuroimaging, enables the clinician to localize the lesion accurately and initiate appropriate treatment. Every case of Horner Syndrome should be treated as a potential diagnostic emergency until a benign etiology is confirmed.

REFERENCES

1.TRIGEMINAL NEURALGIA: PATHOPHYSIOLOGY, DIAGNOSIS AND MODERN MANAGEMENT APPROACHES. (2026). Journal of Multidisciplinary Sciences and Innovations, 5(02), 2002-2004. https://doi.org/10.55640/

2.FRACTURES OF THE LOWER THORACIC AND LUMBAR SPINE. (2026). Journal of Multidisciplinary Sciences and Innovations, 5(01), 1172-1174. https://doi.org/10.55640/

3.IMPROVEMENT OF FRACTURES OF THE LOWER THORACIC AND LUMBAR SPINE USING TRANSPEDICULAR OSTEOSYNTHESIS. (2025). International Journal of Medical Sciences, 5(12), 739-742. https://doi.org/10.55640/

4.PARKINSONISM: AN ACADEMIC OVERVIEW OF ETIOLOGY, CLINICAL FEATURES, AND TREATMENT. (2025). International Journal of Medical Sciences, 5(11), 607-610. https://doi.org/10.55640/

5.Karomov Suhrob Mirmukhsin o‘g‘li. (2025). Multiple Sclerosis: An Overview of Pathogenesis, Diagnosis, and Management. International Journal of Integrative and Modern Medicine, 3(10), 222–225. Retrieved from https://medicaljournals.eu/index.php/IJIMM/article/view/2233

6. o’g’li, K. S. M. (2025). LUMBAR DISC HERNIATION: PATHOGENESIS, DIAGNOSIS, AND MODERN TREATMENT APPROACHES. International Journal of Cognitive Neuroscience

and Psychology, 3(9), 33–38. Retrieved from https://medicaljournals.eu/index.php/IJCNP/article/view/2123

7. Mardonov Jamshid Jahongirovich, & Karomov Suhrob Mirmuhsinovich. (2025). FRACTURES OF THE LOWER THORACIC AND LUMBAR SPINE . TADQIQOTLAR, 75(2), 3-5. https://journalss.org/index.php/tad/article/view/7073

8.CHRONIC MIGRAINE: CLINICAL PICTURE, PATHOGENESIS, TREATMENT. (2025). International Journal of Medical Sciences, 5(03), 225-227. https://doi.org/10.55640/

9.ROBOTIC ASSISTANCE IN SPINAL NEUROSURGERY. (2025). International Journal of Medical Sciences, 5(02), 372-374. https://doi.org/10.55640/

10.DRUG PREVENTION OF CEREBRAL COMPLICATIONS OF GENERAL ANESTHESIA IN CHILDREN. (2024). International Journal of Medical Sciences, 4(12), 134-136. https://doi.org/10.55640/

11.PREVENTIVE ANALGESIA IN PEDIATRIC NEUROSURGERY. (2024). International Journal of Medical Sciences, 4(11), 296-299. https://doi.org/10.55640/

12.РОБОТОАССИСТЕНЦИЯ В СПИНАЛЬНОЙ НЕЙРОХИРУРГИИ . (2024). International Journal of Medical Sciences, 4(10), 131-134. https://doi.org/10.55640/

13.o'g'li, K. S. M. (2024). Analysis of the Influence of Species, Intervertebral Disc Height and Pfirrmann Classification on Failure Load of an Injured Disc Using a Novel Disc Herniation Model. International Journal of Alternative and Contemporary Therapy, 2(9), 139–140. Retrieved from https://medicaljournals.eu/index.php/IJACT/article/view/986

14.Karomov Suhrob Mirmuxsin o'g'li. (2024). Hernia of the Spine. SCIENTIFIC JOURNAL OF APPLIED AND MEDICAL SCIENCES, 3(5), 543–545. Retrieved from https://sciencebox.uz/index.php/amaltibbiyot/article/view/10810

15.Mirmuxsin o'g'li, K. S. . (2024). Protection from Lumbar Hernia. Best Journal of Innovation in Science, Research and Development, 3(4), 654–657. Retrieved from https://www.bjisrd.com/index.php/bjisrd/article/view/2096

16. Karomov Suhrob Mirmukhsin ugli. (2026). HEADACHE DISORDERS: CLINICAL CLASSIFICATION, MECHANISMS AND CONTEMPORARY MANAGEMENT STRATEGIES. Ethiopian International Journal of Multidisciplinary Research, 13(03), 661–664. Retrieved from https://www.eijmr.org/index.php/eijmr/article/view/5631