BG Pulse Journal USA
ISSN:1947-2536 http://www.bgpulseusa.com/index.php/bg
BG PULSE JOURNAL

Artificial Intelligence for Predicting Equipment Failures in Industrial Production

Lia Shin Maola
Technical researcher
doi:https://doi.org/10.5281/zenodo.24139936

Abstract: Unexpected equipment failures can interrupt production, affect product quality, and increase maintenance expenditure. Artificial intelligence offers methods for analyzing operational data and identifying patterns associated with equipment deterioration. This article examines the application of artificial intelligence to predictive maintenance in industrial production through a narrative technical review. It considers sensor data acquisition, machine learning, anomaly detection, remaining useful life estimation, and the integration of predictions into maintenance decisions. The analysis emphasizes that successful implementation depends on reliable measurements, representative operating data, appropriate validation, and collaboration between data specialists and maintenance engineers. A practical implementation framework is proposed, connecting equipment selection, data preparation, model development, operational evaluation, and continuous monitoring. Artificial intelligence can support earlier and better-informed maintenance decisions, but its effectiveness must be demonstrated under the actual conditions of each industrial facility. This article presents an analytical review rather than an experimental study.

Keywords: artificial intelligence, predictive maintenance, industrial equipment, machine learning, fault detection, condition monitoring, remaining useful life.

Introduction

Reliable equipment operation is essential for maintaining stable industrial production. Motors, pumps, compressors, machine tools, and other production assets operate under changing mechanical and environmental conditions. Their deterioration may initially appear as small changes in vibration, temperature, pressure, or electrical behavior. When these changes remain undetected or are interpreted incorrectly, a developing problem can progress to a failure that interrupts production. Effective maintenance therefore requires both information about equipment condition and a process for turning that information into timely action.

Maintenance decisions can follow several approaches. Corrective maintenance responds after a failure has occurred, while scheduled preventive maintenance uses predetermined intervals for inspection or replacement. Predictive maintenance seeks to use evidence about equipment condition and deterioration to inform the timing of intervention. NIST identifies monitoring, diagnostics, and prognostics as capabilities that support improved reliability and reduced downtime in manufacturing systems. These capabilities are related but serve different purposes: monitoring describes current behavior, diagnostics investigates faults, and prognostics estimates future deterioration. NIST

Artificial intelligence can contribute to this process by analyzing relationships within operational data. NIST describes predictive maintenance as an application in which machine learning examines sensor measurements, including temperature, vibration, and pressure, to anticipate potential equipment failures. However, an analytical prediction becomes useful only when it supports a maintenance decision that can be implemented within the available time. The objective of this article is to examine the technical components of such systems and propose a practical framework for their evaluation and deployment. nist.gov

Materials and Methods

This article uses a narrative technical review based on selected public materials from the National Institute of Standards and Technology and the National Aeronautics and Space Administration. The reviewed material addresses industrial artificial intelligence, maintenance-supporting technologies, manufacturing measurements, and prognostic datasets. Sources were selected for their relevance to equipment monitoring, predictive analysis, and practical implementation. The review was organized around the sequence through which operational measurements become maintenance recommendations.

The analysis distinguishes three tasks: detecting unusual equipment behavior, identifying a probable fault condition, and estimating future deterioration or remaining useful life. These tasks were considered in relation to data requirements, evaluation methods, and operational constraints. No original industrial dataset was collected, and no predictive model was trained for this article. Consequently, the results represent a qualitative synthesis and a proposed implementation framework; they do not establish a measured improvement in prediction accuracy, maintenance cost, or equipment availability.

Results

The review identifies data acquisition as the starting point of an effective predictive maintenance system. Sensor selection should follow the failure mechanisms and operating characteristics of the equipment being monitored. Collecting many measurements without a defined maintenance objective can create a large dataset with limited practical value. A proposed starting procedure is to identify a critical asset, specify the failure conditions of interest, and determine which measurements could reveal their development. Operating context should accompany the measurements so that an unusual reading can be interpreted against the task the equipment was performing.

Data preparation is a second essential component of the proposed framework. Missing measurements, incorrect timestamps, inconsistent units, and changes in sensor configuration can undermine comparisons over time. Maintenance records also require attention because a recorded component replacement does not always establish the precise time when deterioration began. The proposed approach therefore links sensor records with inspections, repairs, operating schedules, and available fault descriptions. Uncertain labels should remain identifiable rather than being treated as confirmed evidence of failure.

Model selection should follow the intended prediction task and the evidence available. Where reliable fault labels exist, the analytical task can be framed as supervised classification. Where

verified failures are scarce, a more limited initial objective is to identify departures from established operating behavior. Such anomaly detection should generate an investigation request rather than automatically declare a specific mechanical fault. Remaining useful life estimation introduces a further requirement: evidence about how deterioration progresses toward a defined end-of-life condition.

NASA's Prognostics Center of Excellence repository provides datasets for investigating prognostic methods. Its turbofan engine degradation data include simulated run-to-failure records generated using the Commercial Modular Aero-Propulsion System Simulation model. These records provide a basis for studying deterioration and remaining useful life estimation. Their simulated origin also defines an important boundary: performance on this benchmark does not by itself demonstrate that a model will perform equally well on a factory compressor, pump, or machining system. Application to another asset requires validation against that asset's operating conditions and failure processes. NASA

Combining engineering knowledge with machine learning is another relevant direction. NIST's Augmented Intelligence for Manufacturing Systems research describes the integration of measurements, physical models, and machine learning to monitor and optimize manufacturing processes. For predictive maintenance, this supports an approach in which analytical results are assessed alongside known equipment behavior. A maintenance engineer can examine whether a predicted deterioration pattern is consistent with the machine's configuration, operating state, and inspection history. NIST

The proposed evaluation framework gives priority to operationally meaningful measures. For fault alerts, evaluation should consider missed failures, false alarms, and the time available between an alert and the event requiring intervention. For remaining useful life estimates, prediction error should be assessed alongside uncertainty and the consequences of predicting failure too early or too late. A single overall accuracy value is insufficient to describe these trade-offs.

Validation should also reflect the intended deployment setting. The proposed procedure separates training and evaluation data by equipment unit or time period when appropriate, reducing the possibility that closely related observations appear in both groups. Model performance should then be examined across relevant operating regimes. An initial deployment can run in observation mode, allowing engineers to compare predictions with inspections and maintenance outcomes before using the system to influence production decisions.

Discussion

The main implication of this review is that predictive maintenance requires a complete decision process. A model may identify a useful pattern, but the enterprise must still determine who reviews the alert, what evidence is required, and which intervention is justified. Maintenance personnel need sufficient context to assess the recommendation. A practical alert should therefore identify the equipment, describe the observed change, communicate uncertainty, and indicate the inspection or verification step proposed.

Implementation should begin with a clearly bounded application. The framework proposed here prioritizes equipment for which failure consequences are significant, relevant measurements

are available, and maintenance actions can realistically be changed. A pilot project should establish the existing maintenance process and its limitations before introducing a model. This makes it possible to evaluate whether the new system improves decisions rather than merely generating additional notifications.

For example, a hypothetical monitoring system might identify a persistent change in a pump's vibration behavior. The appropriate response would depend on its operating condition, recent maintenance, and supporting measurements. The alert could justify an inspection, but it would not alone prove that a bearing must be replaced. If inspection confirms a developing defect, the event can strengthen the maintenance record and support later model evaluation. This example illustrates a proposed workflow and does not represent a measured industrial case.

The economic assessment should include the full cost of implementation. Sensors, data infrastructure, engineering time, model maintenance, inspections prompted by false alarms, and integration with maintenance software all contribute to expenditure. Benefits should be evaluated through documented changes in maintenance outcomes and production performance. Predicted savings should remain separate from savings demonstrated during operation.

Continued monitoring is necessary because equipment and production conditions can change. A model developed before an overhaul, sensor replacement, or major process adjustment may require reassessment afterward. NIST's industrial AI research emphasizes measurement science and the management of AI systems in industrial environments, reinforcing the need to evaluate these systems throughout their use. NIST

The limitations of this article include its selective source base and the absence of experimental validation. It does not compare algorithms using a common dataset or establish which model is best for a particular machine. Future research should evaluate predictive methods using clearly documented failure definitions, independent test data, and maintenance outcomes recorded over an adequate operating period.

Conclusion

Artificial intelligence can support predictive maintenance by helping industrial enterprises interpret equipment data and investigate signs of deterioration. Its practical value depends on the quality of measurements, the suitability of the prediction task, and the reliability of validation under real operating conditions. The proposed framework connects asset selection, data preparation, analytical modeling, engineering review, and operational evaluation. Effective deployment requires clear responsibilities and maintenance actions that correspond to the information provided. Future applications should demonstrate improvements through observed equipment and production outcomes, while communicating uncertainty and retaining engineering oversight.

Literatures:

1. Скворцова, Л. А., Махмудов, Д. Э., Усманов, Д. Р., Адылходжаев, А. А., & Хегай, Л. Н. (2019). АСПЕКТЫ СПОРТИВНОЙ АДАПТОЛОГИИ ПРИ ИЗУЧЕНИИ ВИТАМИНА D 25 (OH) D У ФУТБОЛИСТОВ. In От фундаментальных знаний к тонкому владению скальпелем (pp. 51-54).

2. Хегай, Л. Н., Скворцова, Л. А., Махмудов, Д. Э., Усманов, Д. Р., Муслимов, О. Я., & Адылходжаев, А. А. (2019). СОДЕРЖАНИЕ 25-ОН-ВИТАМИНА D У ФУТБОЛИСТОВ В УСЛОВИЯХ СОЛНЕЧНОЙ РАДИАЦИИ УЗБЕКИСТАНА. In Actual Questions and Innovations in Science 2 (pp. 160-161).
3. Кузиев, О. Ж., Курбанов, А. Т., & Арипжанова, Н. Б. (2015). Фенотипологические признаки дерматоглифики при определении половой принадлежности у лиц узбекской популяции. Евразийский союз ученых, (10-1 (19)), 93-95.
4. Mavlyanov, I., Parpiev, S., Sadikov, A., Kurganov, S., & Makhmudov, D. (2020). Relative features of the PPARA (Rs4253778), PPARGC1A (Rs8192678) and PPARG2 (Rs1801282) polymorphisms genes in athletes engaged in cyclic types of sports. European Journal of Molecular and Clinical Medicine, 7(2), 1860-1869.
5. Кантович, Л. И., Клементьева, И. Н., & Кузиев, Д. А. (2020). Обзор конструкций и технологических возможностей современных очистных комбайнов. Техника и технология горного дела, (2 (9)), 26-41.
6. Пирназаров, М. М., Садиков, А. А., Махмудов, Д. Э., & Хегай, Л. Н. (2021). Магнитно-резонансная томографическая визуализация повреждений коленных суставов. Re-health journal, (1 (9)), 152-159.
7. Махмудов, Д. Э., & Саитов, Т. А. (2023). Анализ персонализированного питания высококвалифицированных спортсменов управленческих видов спорта. Klinik va profilaktik tibbiyot jurnali, (3), 79.
8. Даминова, Г. (2020). ROLE OF TEACHERS'MOTIVATION IN TEACHING. Архив исследований.
9. Кузиев, О. Ж., Муродов, Н. Х., Мавлонов, У. О., & Отакулов, С. И. (2016). Особенности повреждений таза и нижних конечностей у водителей при несмертельной травме. Молодой ученый, (10), 512-514.
10. Махмудов, Д. Э., & Саитов, Т. А. (2023). Анализ персонализированного питания высококвалифицированных спортсменов управленческих видов спорта. Klinik va profilaktik tibbiyot jurnali, (3), 79.
11. Usmanovna, N. G., & Oybekovna, D. G. (2018). The importance of motivation in education. Достижения науки и образования, (16 (38)), 33-35.
12. Sharipovna, J. J., & Oybekovna, D. G. (2019). Role of teachers' motivation in teaching. Вопросы науки и образования, (3 (47)), 84-88.
13. Решетняк, С. Н., Кузиев, Д. А., & Уроков, Ф. Э. (2019). АКТУАЛЬНЫЕ АСПЕКТЫ ПОВЫШЕНИЯ ЭНЕРГЕТИЧЕСКОЙ ЭФФЕКТИВНОСТИ ТЕХНОЛОГИЧЕСКОГО ТРАНСПОРТА КОМПАНИИ АК «АЛРОСА». Научные разработки: евразийский регион, 231.
14. Таралева, Т. А., Махмудов, Д. Э., Атабаева, С. М., & Сагитов, Д. М. (2026). ВАРИАБЕЛЬНОСТЬ СЕРДЕЧНОГО РИТМА В ЦИКЛИЧЕСКИХ ВИДАХ СПОРТА: СОВРЕМЕННЫЕ ПОДХОДЫ К ОЦЕНКЕ ФУНКЦИОНАЛЬНОГО СОСТОЯНИЯ СПОРТСМЕНОВ. South Aral Region Medical Journal, 2(Maxsus son-2), 587-593.

15. Нагаева, Г. А. (2021). Исторические факторы формирования населенных пунктов (на примере Черноморского побережья Краснодарского края). Известия высших учебных заведений. Поволжский регион. Гуманитарные науки, (3 (59)), 24-37.
16. Горбань, В. В., & Черноглазов, К. С. (2015). Особенности вариабельности ритма сердца у молодых людей, ассоциированные с массой тела. Кубанский научный медицинский вестник, (4), 63-68.
17. Кузиев, О. Ж., Рузиев, Ш. И., & Искандаров, А. И. (2014). Усовершенствование бескрасочного метода снятия отпечатков пальцев и ладоней. Морфология, 145(3), 107-108.
18. Дьяченко, В. В., Шеманин, В. Г., Черняева, Р. В., Алексеева, О. В., Вишневецкая, В. В., Лохова, Т. В., ... & Чартий, П. В. (2021). Управление городской средой: социальноэкономические и экологические аспекты/г. Краснодар: Изд-во КубГТУ.
19. Носов, А. Е., Байдина, А. С., Власова, Е. М., & Алексеев, В. Б. (2016). Анализ вариабельности ритма сердца при нарушении сердечной деятельности у работников нефтедобывающего предприятия. Гигиена и санитария, 95(1), 41-45.
20. Нагаева, Г. А. (2008). Женщины в социокультурном пространстве Черноморской губернии: конец XIX-начало XX вв.[Электронный ресурс]: автореф. дисс.... к. и. н. 2007. URL: http://cheloveknauka. com/zhenschiny-v-sotsiokulturnom-prostranstve-chernomorskoy-gubernii-konets-xix-nachalo-xx-vv-1# ixzz48FQ3sLjm (дата обращения: 10.06. 2016).
21. Chekalina, S. I., Umurzakova, R. Z., Saliev, K. K., & Abdurakhmanov, T. R. (1994). Effect of berberine bisulfate on platelet hemostasis in thrombocytopenia patients. Gematologiia i transfuziologiia, 39(5), 33-35.
22. Zyablitskii, V. M., Romanovskaya, V. N., Umurzakova, R. Z., Starosel'skaya, A. N., & Mikhal'skaya, T. Y. (1996). Modification of the functional state of hemostasis system using berberin sulfate. Экспериментальная и клиническая фармакология, 59(1), 37-39.
23. Chekalina, S. I., Umurzakova, R. Z., Saliev, K. K., & Abdurakhmanov, T. R. (1994). Trombositopeni hastalarında berberin bisülfatın trombosit hemostazına etkisi. Gematologiia i Transfuziologiia, 39(5), 33-35.
24. Chekalina, S. I., Umurzakova, R. Z., Saliev, K. K., & Abdurakhmanov, T. R. (1994). Effet du bisulfate de berbérine sur l'hémostase plaquettaire chez les patients thrombocytopéniques. Gematologiia i Transfuziologiia, 39(5), 33-35.
25. Махмудов, Д., Абдуллаева, Х., Таралева, Т., Аблялимов, Р., & Парпиев, С. (2025). АНАЛИЗ ФУНКЦИОНАЛЬНЫХ ПОКАЗАТЕЛЕЙ ФУТБОЛИСТОВ НА ЭТАПЕ ОТБОРА К СОРЕВНОВАНИЯМ. Медицина и спорт, (3), 162-162.